



HLU ANSI Chain No.	Pitch	Roller Diameter	Width between Inner Plates	Pin Diameter	Pin Length	Inner Plate Depth	Transverse Pitch	Plate Thickness	Minimum Ultimate Tensile Strength	Average Tensile Strength	Weight
	P	d1 max	b1 min	d2 max	Lc max	h2 max	Pt	t/T	lbs	lbs	lbs/ft
	in.	in.	in.	in.	in.	in.	in.	in.			
50 - 2C	.6250	.4000	.3701	.2004	1.6024	.5941	.713	.0787	9760	12589	1.34
60 - 2C	.7500	.4689	.4949	.2346	1.9894	.7126	.897	.0945	14060	18524	1.96
80 - 2C	1.0000	.6252	.6201	.3126	2.5547	.9500	1.153	.1260	25000	32146	3.46
100 - 2C	1.2500	.7500	.7441	.3756	3.0850	1.1878	1.408	.1575	39060	45859	5.24
120 - 2C	1.5000	.8752	.9929	.4374	3.8957	1.4252	1.789	.1890	56250	70542	7.86
140 - 2C	1.7500	1.0000	.9929	.5004	4.2157	1.6626	1.924	.2224	76560	94798	10.17
160 - 2C	2.0000	1.1252	1.2421	.5626	5.0248	1.9000	2.305	.2539	100000	121257	13.53
180 - 2C	2.2500	1.4059	1.3969	.6874	5.6807	2.1378	2.592	.2854	126560	147401	19.63
200 - 2C	2.5000	1.5622	1.4902	.7815	6.1693	2.3752	2.817	.3150	156250	184336	21.66
240 - 2C	3.0000	1.8752	1.8642	.9374	7.4228	2.8500	3.458	.3740	225000	263196	30.39